



Save time...

Save money...

Create happy customers!

What more could you ask for?

Looking for the cure for clinical "compression"?


The ITC™ Instant Tool-less Connector System enables your team to make high-quality, reliable audio and video connections. Those connections can be made in the darkest recesses of your client's attic without crimping or compression tools. Do the job in less time and with less chance of a return visit.

Less time.

Higher quality.

More profit for you!

See A Connection?




ITC RCA Connectors



ITC-20G/RCA	Can be used with most 20 AWG RG-59 size coax cables with O.D. between 4.9 mm & 6.3 mm
ITC-20N/RCA	
ITC-18G/RCA	Can be used with most 18 AWG RG-6 size coax cables with O.D. between 6.0 mm & 7.2 mm
ITC-18N/RCA	

ITC BNC Connectors



ITC-20G/BNC	Can be used with most 20 AWG RG-59 size coax cables with O.D. between 4.9 mm & 6.3 mm
ITC-20N/BNC	
ITC-18G/BNC	Can be used with most 18 AWG RG-6 size coax cables with O.D. between 6.0 mm & 7.2 mm
ITC-18N/BNC	

ITC F Connectors



ITC-20G/F	Can be used with most 20 AWG RG-59 size coax cables with O.D. between 4.9 mm & 6.3 mm
ITC-20N/F	
ITC-18G/F	Can be used with most 18 AWG RG-6 size coax cables with O.D. between 6.0 mm & 7.2 mm
ITC-18N/F	

ITC Euro M & F Coax Connectors



ITC-20N EU/M	Can be used with most 20 AWG RG-59 size coax cables with O.D. between 4.9 mm & 6.3 mm
ITC-20N EU/F	
ITC-18G EU/M	Can be used with most 18 AWG RG-6 size coax cables with O.D. between 6.0 mm & 7.2 mm
ITC-18G EU/F	

US Patent # 6,776,657

ITC RCA Mini Connectors



ITC-26G/RCA	Can be used with 25 AWG and 25AWG mini-coax cables with O.D. between 2.6 mm & 2.9 mm
ITC-26N/RCA	

ITC BNC Mini Connectors



ITC-26G/BNC	Can be used with 25 AWG and 25AWG mini-coax cables with O.D. between 2.6 mm & 2.9 mm
ITC-26N/BNC	

ITC Wallplates



ITC Wallplates & Modular Inserts	Modular design for easy connection and flexibility.
	Fits easily in standard wall box. Compatible with Keystone and Leviton Quickport® modules. The ITC design saves time, money and eliminates the typical coupler to reduce depth & signal loss.

ITC HDMI Electronics



All	Rack - Mountable HDMI 1.3 & HDCP Compliant
Switchers	Unique, Flexible Control Options, Auto, Manual, IR & RS232
Distribution Amps	Smart Resolution Management Dynamic resolution control assures highest common resolution to all active displays.
HDMI Over CAT	Mix & Match Rack-Mounted & Wall-Plated Boxes, RS232 pass-thru, Jitter Correction Available.